



Low-Emitting Materials Certificate of Compliance

Awarded to:

SOLOMON COLORS, INC OF SPRINGFIELD, IL

4050 COLOR PLANT ROAD, ZIP CODE: 62702

Category:

Construction Materials - Interior Paints, Finishes & Coatings

Cert. Scheme:

VOC Emissions

Accredited

Compliance

Designation:

California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms

With:

LEED v4 ID+C, BD+C

Collaborative for High Performance Schools EQ 7.1.5

Criteria of MAS Certified Green® Program

TVOC Emissions at 14-days

low-emitting interiors

paints & coatings

low-emitting material

≤0.5 mg/m³ (classroom setting)

between 0.5 and 5.0 mg/m³ (office setting)

Bracketed

Products:

Lythic Densifier

Test Date

& Report No.:

04/30/2019

1900534

Certificate No.:

MAS1900534-1

valid April 2019 to April 2020



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025
3rd Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065

*outside of A2LA accreditation scope